Journal of
POLYMER SCIENCE

VOLUME XXVI • 1957

Editorial Board:
W. T. ASTBURY • P. M. DOTY • R. M. FUOSS • J. J. HERMANS • H. MARK

Advisory Board:

T. ALFREY, JR. *Midland, Mich.*
P. D. BARTLETT *Cambridge, Mass.*
H. BENOIT *Strasbourg*
E. R. BLOUT *Cambridge, Mass.*
J. W. BREITENBACH *Vienna*
C. W. BUNN *Welwyn Garden City*
G. M. BURNETT *Aberdeen*
S. CLAESSON *Uppsala*
F. S. DAINTON *Leeds*
P. DEBYE *Ithaca, N. Y.*
P. J. FLORY *Ithaca, N. Y.*
G. GEE *Welwyn Garden City*
J. J. HERMANS *Groningen*
A. KATCHALSKY *Rehovot*
G. M. KLINE *Washington, D. C.*
I. M. KOLTHOFF *Minneapolis, Minn.*
W. KUHN *Basel*
M. MAGAT *Paris*
C. S. MARVEL *Urbana, Ill.*
H. W. MELVILLE *Birmingham*
G. NATTA *Milan*
A. PETERLIN *Ljubljana*
C. C. PRICE *Philadelphia, Pa.*
CH. SADRON *Strasbourg*
G. V. SCHULZ *Mainz*
G. SMETS *Louvain*
H. M. SPURLIN *Wilmington, Del.*
A. J. STAVERMAN *Delft*
W. H. STOCKMAYER *Cambridge, Mass.*
A. V. TOBOLSKY *Princeton, N. J.*
K. UEBERREITER *Berlin*
B. H. ZIMM *Schenectady, N. Y.*

INTERSCIENCE PUBLISHERS, INC.

Copyright © 1957, by Interscience Publishers, Inc.

CONTENTS

Vol. XXVI, Issue Nos., 112–114, 1957

Journal of Polymer Science

ISSUE NO. 112, OCTOBER

EUGENE K. WALSH and HERMAN S. KAUFMAN: Intrinsic Viscosity-Molecular Weight Relationship for Polychlorotrifluoroethylene. 1

R. J. SLOCOMBE: Multicomponent Polymers. I. Three-Component Systems. 9

C. S. MARVEL and L. ELMER OLSON: Polyalkylene Sulfides. XIII. Polymers from 4-Vinyl-1-cyclohexene and *d*-Limonene. 23

FUMIO OOSAWA: Fibrous and Globular Aggregations of Charged Macromolecules. 29

R. LONGWORTH and J. J. HERMANS: Conductivity of Solutions of the Potassium Salts of Carboxymethylcellulose and Sulfonated Polystyrene in the Presence of Potassium Chloride. 47

WILLIAM S. CRAMER: Propagation of Stress Waves in Rubber Rods 57

C. MUSSA, I.V.: A Suggested Method of Plotting the Data of Fractionation and Viscometry. 67

F. B. JONES, P. B. STICKNEY, L. E. COLEMAN, JR., D. A. RAUSCH, and A. M. LOVELACE: Polymerization of Some Fluorine-Containing Olefin Oxides. 81

S. L. KAPUR and S. GUNDIAH: Anomalous Behavior of Polymer Solutions. I. Non-Newtonian Behavior of Polyvinyl Acetate Solutions. 89

LETTERS TO THE EDITORS

BRUNO H. ZIMM: Vibrating Viscometer for Relaxation Studies on Dilute Polymer Solutions. 101

F. RYBNIKÁŘ: Anomalously Low Density of Some Oriented Samples of Poly-6-caproamide. 101

ATSUO NISHIOKA: The Effect of Voids on the No Strength Temperature and Zero Strength Time Tests of Polytetrafluoroethylene Resin. 107

V. D. GUPTA: An X-Ray Study of Crystalline Orientation in Jute Treated with Caustic Soda Solution. 110

ARTHUR VEIS and JEROME COHEN: On the Molecular Configuration of Gelatin. 113

MACHIO IWASAKI, MICHIRO AOKI, and KUNIO OKUHARA: The Infrared Spectra of Tetrafluoroethylene-Trifluorochloroethylene Copolymers. 116

G. NATTA, P. PINO, G. MAZZANTI, U. GIANNINI, E. MANTICA, and M. PERALDO: The Nature of Some Soluble Catalysts for Low Pressure Ethylene Polymerization. 120

H. S. KAUFMAN and E. K. WALSH: Molecular Weight and Molecular Weight Distribution of High Density Linear Polyethylene. 124

BOOK REVIEW

Polyethylene, R. A. V. Raff and J. B. Allison: Reviewed by W. E. Hanford 126

Issue No. 113, November

D. Vofsi and A. Katchalsky: Kinetics of Polymerization of Nitroethylene. II. Study of Molecular Weights (by Cryoscopic Method) 127
Lee P. Witnauer and Jeanne G. Fee: Effect of Diluents on Fusion Temperature of the Crystalline Regions in Plain and Tanned Cowhide 141
D. W. McCall: Diffusion in Ethylene Polymers. I. Desorption Kinetics for a Thin Slab 151
D. W. McCall, J. F. Ambrose, and V. L. Lanza: Diffusion in Ethylene Polymers. II. Desorption of Water 165
D. W. McCall and W. P. Slichter: Molecular Motion in Polyethylene 171
N. N. Winogradoff and D. C. Bisset: A Photoelectric Instrument for the Measurement of Molecular Orientation in Films of High Polymers 187
W. E. F. Naismith and R. K. Williams: A Study of the Rates of Denaturation of Arachin and Conarachin II 199
Tōru Kawai and Kazuhisa Saito: Anomalous Viscosity Behavior of Polymer Solutions at Very Low Concentrations (With an Appendix by W. R. Krigbaum) 213

LETTERS TO THE EDITORS

Roger M. Schulken, Jr. and Mary Lynn Sparks: A Viscometer for Rapid Measurements of Dilute Polymer Solutions at Elevated Temperatures 227
Hidehiko Kobayashi: Fractionation of Polyacrylonitrile 230
Gerald Oster and Osamu Shibata: Graft Copolymer of Polyacrylamide and Natural Rubber Produced by Means of Ultraviolet Light 233
Junji Furukawa, Teiji Tsuruta, and Shohei Inoue: Triethylboron as an Initiator for Vinyl Polymerization 234
Takayuki Otsu: Vinyl Polymerization. XIX. The Preparation of Block and Graft Copolymers Using Some Sulfur Compounds .. 236
Akira Miyake: A Note on the Molecular Theory of Viscoelasticity of Polymers 239
Henry Hsieh, Donald J. Kelley, and Arthur V. Tobolsky: Polymerization of Isoprene with Lithium Dispersions and Lithium Alkyls Using Tetrahydrofuran as Solvent 240
Harry L. Vosters: Viscose Ripening 242
Robert A. Wall and Stephen S. Winter: The Viscosity of Dilute Solutions of Sodium Carboxymethyl Dextran 245
A. Tobolsky: The Kinetics of Random Degradation of Polymers: A Résumé 247
Harry Ladenheim and Herbert Morawetz: A New Type of Polyampholyte: Poly(4-vinyl Pyridine Betaine) 251

ISSUE, NO. 114, DECEMBER

J. L. GARDON and S. G. MASON: Osmotic Pressure Measurements with Solute-Permeable Membranes 255
W. J. DULMAGE: The Molecular and Crystal Structure of Cellulose Triacetate 277
R. E. GLEGG and Z. I. KERTESZ: Effect of Gamma-Radiation on Cellulose 289
D. J. WORSFOLD and S. BYWATER: Anionic Polymerization of α-Methylstyrene 299
JEN TSI YANG: An Improvement in the Graphic Treatment of Angular Light Scattering Data 305
T. YONEZAWA, T. HIGASHIMURA, K. KATAGIRI, K. HAYASHI, S. OKAMURA, and K. FUKUI: Molecular Orbital Theory of Reactivity in Ionic Polymerizations 311
YOKO KURODA and MASAJI KUBO: CH_2 Rocking Vibrations of Polyethylene Glycols 323
HERMAN B. WAGNER: Controlled Boron Trifluoride Catalysis of Epoxy Polymerizations 329
LESLIE C. CASE: Molecular Distributions in Polycondensations Involving Unlike Reactants. I. Gelation 333
R. E. COOK, F. S. DAINTON, and K. J. IVIN: Effect of Olefin Structure on the Ceiling Temperature for Olefin Polysulfone Formation 351
W. P. COX, L. E. NIELSEN, and R. KEENEY: Dynamic Viscosity and Shear Modulus of Molten Polystyrene as a Function of Molecular Weight 365

LETTERS TO THE EDITORS

F. KHOURY: The Fibrillar Structure of Spherulites in Polyhexamethylene Adipamide 375
HIROYUKI TADOKORO, KEIJI KÔZAI, SYÛZÔ SEKI, and ISAMU NITTA: On the Crystalline Band in the Infrared Absorption Spectrum of Polyvinyl Alcohol 793
A. E. WOODWARD, C. W. DEELEY, D. E. KLINE, and J. A. SAUER: Effect of Thermal History on the Dynamic Modulus at 20°C. of Irradiated Polyethylene 383
P. W. ALLEN and M. A. PLACE: Solute Diffusion in Osmometry .. 386
MASAKAZU MATSUMOTO and YASUJI OHYANAGI: Gelation Velocity of Aqueous Solutions of Polyvinyl Alcohol 389
HOWARD C. HAAS: A Note on the Infrared Absorption Spectrum of Polyvinyl Alcohol 391
MASAKAZU MATSUMOTO and TAMOTSU EGUCHI: Viscosity-Concentration Relation of Aminoacetalized Polyvinyl Alcohol Sulfate in Aqueous Solution 393
R. BAUMAN and J. GLANTZ: The Effect of Copolymer Composition on Radiation Crosslinking 397
LAWRENCE M. EPSTEIN: Electron Crosslinking of Polyethylenes of Two Different Densities 399
ANDRZEJ BRODA and MARIA B. CHODKOWSKA: The Free Energy of the Polydisperse Polymer in the System Polymer-Liquid 401

AUTHOR INDEX, VOLUME XXVI 405
SUBJECT INDEX, VOLUME XXVI 407

AUTHOR INDEX, VOLUME XXVI

Allen, P. W., and Place, M. A.: Solute diffusion in osmometry, 386
Ambrose, J. F.: see McCall, D. W.
Aoki, M.: see Iwasaki, M.
Bauman, R., and Glantz, J.: The effect of copolymer composition on radiation crosslinking, 397
Bisset, D. C.: see Winogradoff, N. N.
Broda, A., and Chodkowska, M. B.: The free energy of the polydisperse polymer in the system polymer-liquid, 401
Bywater, S.: see Worsfold, D. J.
Case, L. C.: Molecular distributions in polycondensations involving unlike reactants. I. Gelation, 333
Chodkowska, M. B.: see Broda, A.
Cohen, J.: see Veis, A.
Coleman, L. E., Jr.: see Jones, F. B.
Cook, R. E., Dainton, F. S., and Ivin, K. J.: Effect of olefin structure on the ceiling temperature for olefin polysulfone formation, 351
Cox, W. P., Nielsen, L. E., and Keeney, R.: Dynamic viscosity and shear modulus of molten polystyrene as a function of molecular weight, 365
Cramer, W. S.: Propagation of stress waves in rubber rods, 57
Dainton, F. S.: see Cook, R. E.
Deeley, C. W.: see Woodward, A. E.
Dulmage, W. J.: The molecular crystal structure of cellulose triacetate, 277
Eguchi, T.: see Matsumoto, M.
Epstein, L. M.: Electron crosslinking of polyethylenes of two different densities, 399
Fee, J. G.: see Witnauer, L. P.
Fukui, K.: see Yonezawa, T.
Furukawa, J., Tsuruta, T., and Inoue, S.: Triethylboron as an initiator for vinyl polymerization, 234
Gardon, J. L., and Mason, S. G.: Osmotic pressure measurements with solute-permeable membranes, 255
Giannini, U.: see Natta, G.
Glantz, J.: see Bauman, R.
Glegg, R. E., and Kertesz, Z. I.: Effect of gamma-radiation on cellulose, 289
Gundiah, S.: see Kapur, S. L.
Gupta, V. D.: An x-ray study of crystallite orientation in jute treated with caustic soda solution, 110
Haas, H. C.: A note on the infrared absorption spectrum of polyvinyl alcohol, 391
Hayashi, K.: see Yonezawa, T.
Hermans, J. J.: see Longworth, R.
Higashimura, T.: see Yonezawa, T.
Hsieh, H., Kelley, D. J., and Tobolsky, A. V.: Polymerization of isoprene with lithium dispersions and lithium alkyls using tetrahydrofuran as solvent, 240
Inoue, S.: see Furukawa, J.
Ivin, K. J.: see Cook, R. E.
Iwasaki, M., Aoki, M., and Okuhara, K.: The infrared spectra of tetrafluoroethylene-trifluorochloroethylene copolymers, 116
Jones, F. B., Stickney, P. B., Coleman, L. E., Jr., Rausch, D. A., and Lovelace, A. M.: Polymerization of some fluorine-containing olefin oxides, 81
Kapur, S. L., and Gundiah, S.: Anomalous behavior of polymer solutions. I. Non-Newtonian behavior of polyvinyl acetate solutions, 89
Katagiri, K.: see Yonezawa, T.
Katchalsky, A.: see Vofsi, D.
Kaufman, H. S., and Walsh, E. K.: Molecular weight and molecular weight distribution of high density linear polyethylene, 124
——: see Walsh, E. K.
Kawai, T., and Saito, K.: Anomalous viscosity behavior of polymer solutions at very low concentrations (with an appendix by Krigbaum, W. R.), 213
Keeney, R.: see Cox, W. P.
Kelley, D. J.: see Hsieh, H.
Kertesz, Z. I.: see Glegg, R. E.
Khoury, F.: The fibrillar structure of spherulites in polyhexamethylene adipamide, 375
Kline, D. E.: see Woodward, A. E.
Kobayashi, H.: Fractionation of polyacrylonitrile, 230
Kozai, K.: see Tadokoro, H.
Krigbaum, W. R.: see Kawai, T.
Kubo, M.: see Kuroda, Y.
Kuroda, Y., and Kubo, M.: CH_2 rocking vibrations of polyethylene glycols, 323
Ladenheim, H., and Morawetz, H.: A new type of polyampholyte: poly(4-vinyl pyridine betaine), 251
Lanza, V. L.: see McCall, D. W.
Longworth, R., and Hermans, J. J.: Conductivity of solutions of the potassium salts of carboxymethylcellulose and sulfonated polystyrene in the presence of potassium chloride, 47
Lovelace, A. M.: see Jones, F. B.
McCall, D. W.: Diffusion in ethylene polymers. I. Desorption kinetics for a thin slab, 151
——, Ambrose, J. F., and Lanza, V. L.: Diffusion in ethylene polymers. II. Desorption of water, 165
——, and Slichter, W. P.: Molecular motion in polyethylene, 171
Mantica, E.: see Natta, G.
Marvel, C. S., and Olson, L. E.: Polyalkylene sulfides. XII. Polymers from 4-vinyl-1-cyclohexane and *d*-limonene, 23

Mason, S. G.: see Gardon, J. L.
Matsumoto, M. and Eguchi, T.: Viscosity-concentration relation of aminoacetalized polyvinyl alcohol sulfate in aqueous solution, 393
——, and Ohyanagi, Y.: Gelation velocity of aqueous solutions of polyvinyl alcohol, 389
Mazzanti, G.: see Natta, G.
Miyake, A.: A note on the molecular theory of viscoelasticity of polymers, 239
Morawetz, H.: see Ladenheim, H.
Mussa, I. V., C.: A suggested method of plotting the data of fractionation and viscometry, 67
Naismith, W. E. F., and Williams, R. K.: A study of the rates of denaturation of arachin and conarachin II, 199
Natta, G., Pino, P., Mazzanti, G., Giannini, U., Mantica, E., and Peraldo, M.: The nature of some soluble catalysts for low pressure ethylene polymerization, 120
Nielsen, L. E.: see Cox, W. P.
Nishioka, A.: The effect of voids on the no strength temperature and zero strength time tests of polytetrafluoroethylene, 107
Nitta, I.: see Tadokoro, H.
Ohyanagi, Y.: see Matsumoto, M.
Okamura, S.: see Yonezawa, T.
Okuhara, K.: see Iwasaki, M.
Olson, L. E.: see Marvel, C. S.
Oosawa, F.: Fibrous and globular aggregations of charged macromolecules, 29
Oster, G., and Shibata, O.: Graft copolymer of polyacrylamide and natural rubber produced by means of ultraviolet light, 233
Otsu, T.: Vinyl polymerization. XIX. The preparation of block and graft copolymers using some sulfur compounds, 236
Peraldo, M.: see Natta, G.
Pino, P.: see Natta, G.
Place, M. A.: see Allen, P. W.
Rausch, D. A.: see Jones, F. B.
Rybnikář, F.: Anomalously low density of some oriented samples of poly-6-caproamide, 104
Saito, K.: see Kawai, T.
Sauer, A. J.: see Woodward, A. E.
Schulken, R. M., Jr., and Sparks, M. L.: A viscometer for rapid measurements of dilute polymer solutions at elevated temperatures, 227
Seki, S.: see Tadokoro, H.
Shibata, O.: see Oster, G.
Slichter, W. P.: see McCall, D. W.
Slocombe, R. J.: Multicomponent polymers. I. Three-component systems, 9
Sparks, M. L.: see Schulken, R. M., Jr.
Stickney, P. B.: see Jones, F. B.
Tadokoro, H., Kozai, K., Seki, S., and Nitta, I.: On the crystalline band in the infrared spectrum of polyvinyl alcohol, 379
Tobolsky, A.: The kinetics of random degradation of polymers: a résumé, 247
——: see Hsieh, H.
Tsuruta, T.: see Furukawa, J.
Veis, A., and Cohen, J.: On the molecular configuration of gelatin, 113
Vofsi, D., and Katchalsky, A.: Kinetics of polymerization of nitroethylene. II. Study of molecular weights (by cryoscopic method), 127
Vosters, H. L.: Viscose ripening, 242
Wagner, H. B.: Controlled boron trifluoride catalysis of epoxy polymerizations, 329
Walsh, E. K., and Kaufman, H. S.: Intrinsic viscosity-molecular weight relationship for polychlorotrifluoroethylene, 1
——: see Kaufman, H. S.
Wall, R. A., and Winter, S. S.: The viscosity of dilute solutions of sodium carboxymethyl dextran, 245
Williams, R. K.: see Naismith, W. E. F.
Winogradoff, N. N., and Bisset, D. C.: A photoelectric instrument for the measurement of molecular orientation in films of high polymers, 187
Winter, S. S.: see Wall, R. A.
Witnauer, L. P., and Fee, J. G.: Effect of diluents on fusion temperature of the crystalline regions in plain and tanned cowhide, 141
Woodward, A. E., Deeley, C. W., Kline, D. E., and Sauer, A. J.: Effect of thermal history on the dynamic modulus at 20°C. of irradiated polyethylene, 383
Worsfold, D. J., and Bywater, S.: Anionic polymerization of α-methylstyrene, 299
Yang, J. T.: An improvement in the graphic treatment of angular light scattering data, 305
Yonezawa, T., Higashimura, T., Karagiri, K., Hayashi, K., Okamura, S., and Fukui, K.: Molecular orbital theory of reactivity in ionic polymerizations, 311
Zimm, B. H.: Vibrating viscometer for relaxation studies on dilute polymer solutions, 101

SUBJECT INDEX, VOLUME XXVI

Aggregations, fibrous and globular from charged macromolecules, 29
Anionic polymerization, α-methylstyrene, 299
Arachin, rates of denaturation, 199
Block copolymers, using sulfur compounds, 236
Carboxymethylcellulose, conductivity of solutions of, 47
Cellulose, effect of gamma-radiation, 289
Cellulose triacetate, molecular and crystal structure, 277
Conarachin II, rates of denaturation, 199
Cowhide, effect of diluents on fusion temperature of crystalline regions in, 141
Crosslinking, electron, of polyethylenes, 399
by radiation, effect of copolymer composition, 397
Cryoscopic method, for molecular weight determination, 127
Degradation, kinetics of, 247
Electron crosslinking, of polyethylenes, 399
Epoxy polymerizations, with boron trifluoride as catalyst, 329
Ethylene, low pressure polymerization, soluble catalysts for, 120
Ethylene polymers, diffusion in, 151, 165
Fluorine-containing olefin oxides, polymerization, 81
Fractionation, data plotting, 67
Gelatin, molecular configuration, 113
Gelation, in polycondensations, 333
Graft copolymers, using sulfur compounds, 236
Infrared spectra, polyvinyl alcohol, 379, 391
tetrafluoroethylene - trifluorochloroethylene copolymers, 116
Intrinsic viscosity, relationship to molecular weight for polychlorotrifluoroethylene, 1
Ionic polymerization, molecular orbital theory of reactivity, 311
Isoprene, polymerization with lithium compounds, 240
Jute, x-ray study, 110
Light scattering data, graphic treatment, 305
d-Limonene, polymers from, 23
Lithium compounds, and isoprene polymerization, 240
α-Methylstyrene, anionic polymerization, 299
Modulus, dynamic, effect of thermal history on irradiated polyethylene, 383
shear, of polystyrene, 365
Molecular orbital theory, of reactivity in ionic polymerization, 311
Molecular orientation, photoelectric instrument for measurement of, 187
Molecular theory of viscoelasticity, 239
Molecular weight, nitroethylene, 127
polyethylene, 124
polystyrene, 365
relationship to intrinsic viscosity for polychlorotrifluoroethylene, 1
Multicomponent polymers, 9
Nitroethylene, 127
Olefin polysulfone formation, effect of structure on ceiling temperature, 351
Osmometry, solute diffusion, 386
Osmotic pressure, measurements with solute-permeable membranes, 255
Polyacrylamide, graft copolymer with natural rubber by ultraviolet light, 233
Polyacrylonitrile, fractionation, 230
Polyalkylene sulfides, 23
Polyampholyte, a new type, 251
Poly-6-caproamide, anomalously low density, 104
Polychlorotrifluoroethylene, intrinsic viscosity-molecular weight relationship, 1
Polycondensations, molecular distributions, 333
Polydisperse polymer, free energy of, 401
Polyethylene, electron crosslinking, 399
irradiated, effect of thermal history on dynamic modulus, 383
molecular motion, 171
molecular weight, 124
Polyethylene glycols, CH_2 rocking vibrations, 323
Polyhexamethylene adipamide, fibrillar structure, 375
Polystyrene, dynamic viscosity and shear modulus as function of molecular weight, 365
sulfonated, conductivity of solutions of, 47
Polytetrafluoroethylene resin, no strength temperature and zero strength time tests, 107
Polyvinyl acetate, non-Newtonian behavior, 89
Polyvinyl alcohol, gelation viscosity, 389
infrared absorption spectrum, 379, 391
Polyvinyl alcohol sulfate, aminoacetalized, viscosity-concentration relationship, 393
Poly(4-vinyl pyridine betaine), 251
Radiation crosslinking, effect of copolymer composition, 397
Rubber, natural, graft copolymer with polyacrylamide by ultraviolet light, 233
propagation of stress waves in rods of, 57
Sodium carboxymethyl dextran, viscosity, 245

Sulfur compounds, and vinyl polymerization, 236
Tetrafluoroethylene, infrared spectra of copolymers with trifluorochloroethylene, 116
Trifluorochloroethylene, infrared spectra of copolymers with tetrafluoroethylene, 116
Ultraviolet light, for graft copolymer of polyacrylamide and natural rubber, 233
4-Vinyl-1-cyclohexene, polymers from, 23
Vinyl polymerization, with sulfur compounds, 236
  with triethylboron as initiator, 234
Viscoelasticity, molecular theory of, 239
Viscometer, for rapid measurements at elevated temperatures, 227
  vibrating, for relaxation studies, 101
Viscometry, data plotting, 67
Viscose ripening, 242
Viscosity, dynamic, of polystyrene, 365
  polymer solutions at low concentrations, 213
  relation to concentration in aminoacetalized polyvinyl alcohol sulfate, 393
  sodium carboxymethyl dextran, 245
X-ray study, jute, 110